
Projects in Single-Mode Fiber Optics

Applications Workbook

© 1993, Newport Corporation
1791 Deere Ave.
Irvine, CA 92606, U.S.A.

P/N FK-ADV-TEXT
Drw# 18790 Rev. E
(06/08)

Table of Contents

	Page
Preface	1
0.0 Primer in Single-Mode Fiber Optic Technology	3
0.1 Introduction	3
0.2 Interference and Coherence	5
0.3 Components of Single-Mode Systems	8
0.3.1 Single-Mode Fibers	8
0.3.1.1 Fiber Modes	9
0.3.1.2 Fiber Dispersion	11
0.3.2 Sources	17
0.3.2.1 Modulation	19
0.3.2.2 Spectral Output	22
0.3.2.3 Noise	23
0.3.3 Receivers	25
0.3.4 Data Link Considerations	30
0.4 Single-Mode Communications	32
0.4.1 Noise and Degradation Factors	33
0.4.2 Coherent Optical Fiber Communications	35
0.5 Sensors	39
0.5.1 Mach-Zehnder Interferometric Sensors	39
0.5.2 Sagnac Interferometric Sensors	46
0.6 Project Introduction	49
0.7 References	50
1.0 Project 1: Semiconductor Diode Laser Characterization	51
1.1 Laser Geometry	51
1.2 Lasing Characteristics	52
1.3 Laser Frequency Characteristics	53
1.4 Laser Noise	55
1.5 Experimental Setup	56
1.5.1 Semiconductor Diode Laser Power Characteristics	57
1.5.2 Astigmatic Distance Characteristics	58
1.5.3 Frequency Characteristics of Diode Lasers	60
1.5.4 Amplitude Characteristics of Diode Lasers	64
1.6 References	66
2.0 Project 2: Effects of Reflections on Diode Lasers	67
2.1 Effects of Reflections	67
2.2 Experimental Setup	72
2.2.1 Effects of Reflection on Laser Output	72
2.2.2 Laser Threshold	73
2.2.3 (Optional) Sensor Experiment	74
2.3 References	74

3.0 Project 3: Zero Path Length Difference Interferometry and Coherence Properties of Semiconductor Laser Sources	75
3.1 Coherence Properties	75
3.2 Experimental Setup	79
3.3 References	81
4.0 Project 4: Characterization of Fiber 3 dB Couplers	82
4.1 Coupler Description	82
4.2 Coupled Waveguides	83
4.3 Experimental Verification of Coupler Properties	84
4.4 Experimental Setup	87
4.4.1 Laser to Fiber Coupling and Polarization Characteristics	87
4.4.2 Intensity Noise Spectrum	92
4.4.3 (Optional) Fiber Phase Shifter	92
4.5 References	93
5.0 Project 5: Laser Velocimeter	94
5.1 Velocimetry	94
5.2 Experimental Setup	97
5.3 References	100
6.0 Project 6: Polarimetric Sensors	101
6.1 Polarization Maintaining Fibers	101
6.2 Polarimetric Sensors	104
6.3 Experimental Setup	106
6.3.1 Fiber Alignment	106
6.3.2 Fiber Orientation and Splicing	107
6.3.3 Sensor Measurements	109
6.4 References	109
7.0 Project 7: Fiber Optical Gyros	111
7.1 Fiber Gyro Configuration and Operating Principles	111
7.2 Experimental Setup	116
7.3 References	118
8.0 Project 8: Single-Mode Interferometric Sensors	119
8.1 Interferometric Sensors	119
8.2 Experimental Setup	124
8.3 References	127
9.0 Project 9: Coherent Communications	128
9.1 Coherent Communication Considerations	128
9.2 Receiver Design	130
9.3 Experimental Setup	133
ASK Homodyne	133
ASK Heterodyne	134
PSK Heterodyne	136
PSK Homodyne	136
9.4 References	137

Appendix A Component Handling and Assembly	139
Laser Diode	140
Fiber Cleaving	142
Piezoelectric Cylinder (PZC)	143
Silicon Photodetector Mount (M918D)	144
High Speed Photodetector Mount (M818-BB)	145
Beam Steering Assembly (BSA-I)	146
Beam Steering Assembly (BSA-II)	147
Cube Mount (CM)	148
Cube and Waveplate Mount (CWM)	149
Laser Mount Assembly (LMA-I)	150
Laser Mount Assembly (LMA-II)	151
Laser Mount Assembly (LMA-III)	152
Laser Mount Assembly (LMA-IV)	153
Clamp Assembly (CA-I)	155
Clamp Assembly (CA-II)	156
Beam Splitter Mount (BSM-I)	157
Rotational Stage Assembly (RSA-II)	158
Fiber Coupler Assembly (FCA)	159
Beam Collimator Assembly (BCA)	160
Appendix B Equipment List	161
Appendix C Additional Equipment	162
Index	163